Sliding w/ Soft-Close, 2 Panels, Symmetrical
(S2S-SC)
ELEVATION

RAYDOOR STANDARD
SYSTEM DRAWINGS
©2020

YOUR OPENING HEIGHT = PANEL + $2\frac{3}{8}$"
YOUR OPENING WIDTH = (2 x PANEL) - 2"

PLAN: open

OPENING WIDTH

floor guides

$1\frac{1}{2}$" overlap

$1\frac{1}{2}$" overlap

PLAN: closed

S2S-SC

1" overlap

1" overlap

track

ELEVATION: closed

soft-close roller / mechanism

track

top of leveled track

3" typ

OPENING HEIGHT

finished floor

OPENING WIDTH

Sliding w/ Soft-Close, 2 Panels, Symmetrical
(S2S-SC)
SECTION

RAYDOOR STANDARD
SYSTEM DRAWINGS
©2020

NOTE: each panel weights approximately 75-110 lbs.
Secure tracks accordingly.

$2\frac{1}{2}$"

$\frac{3}{4}$" $1\frac{1}{4}$" $\frac{3}{4}$"

track cap

track stop

top of
leveled
track

top of
leveled
track

$2" \pm \frac{3}{16}$

$1\frac{5}{16}$"
$1\frac{1}{4}$"

soft-close
mechanism

carrier

optional trim by GC

track

low profile
mount

OPENING HEIGHT

panel height

$\frac{1}{4}$" $2\frac{1}{4}$"

$\pm \frac{3}{8}$"

3" typ

floor guide

finished
floor

Sliding w/ Soft-Close, 2 Panels, Symmetrical

(S2S-SC)

SOFT-CLOSE HARDWARE

RAYDOOR STANDARD
SYSTEM DRAWINGS
©2020

release device with stopper

soft-close catch

track

soft-close mechanism

low profile mount

3"

Sliding w/ Soft-Close, 2 Panels, Symmetrical
(S2S-SC)
OPERATION OVERVIEW

RAYDOOR STANDARD
SYSTEM DRAWINGS
©2020

KEY:

floor guide   ▷ Stopper / release device